

**HIGH FREQUENCY, HIGH PERFORMANCE PERMANENT 3/4" NMO MOUNT**

This permanent NMO mount provides extended frequency range up to 5800 MHz. This allows antennas in frequency ranges above traditional LMR frequencies to be deployed.

**FEATURES** ✓RoHS


- High-performance up to 5800 MHz
- 78 Rockwell Hardness brass material resists corrosion
- Gold plated contact provides superior conductivity
- Low loss 17' 195-type coax
- Available in other coax lengths and connector options
- Extended frequency range

**MARKETS**

- Land mobile radio
- Vehicular

FREQUENCY RANGE (MHz)	INSERTION LOSS PER FOOT OF CABLE (dB)	INSERTION LOSS PER 17FOOT OF CABLE (dB)
150	-0.0965	-0.6178
450	-0.2171	-1.3274
900	-0.3446	-1.9404
1500	-0.5834	-2.6509
1800	-0.5355	-2.9682
2400	-0.4637	-3.2679
2700	-0.5402	-3.6155
4900	-3.5302	-8.0636
5800	-3.2943	-9.0496

MODEL	DESCRIPTION	MOUNTING HOLE TYPE	COAXIAL CABLE	CONNECTOR
MBO16394	High frequency mount for all antennas operating at 700-5800MHz	3/4" hole permanent mount	17ft ATX195	Contact customer service for connector options




global solutions: local support..

Americas: +1.847.839.6907  
IAS-AmericasEastSales@lairdtech.com


Europe: +1.32.80.7866.12  
IAS-EUSales@lairdtech.com

Asia: +1.65.6.243.8022  
IAS-AsiaSales@lairdtech.com

**INSERTION LOSS PER FOOT OF ATX195 CABLE (dB)**



**INSERTION LOSS PER 17 FEET OF ATX195 CABLE (dB)**



ANT-DS-MBO16394 0709

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, mechanical or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2009 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies logo and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of their respective holders. Nothing herein should be construed as a license from any Laird Technologies or any third party intellectual property rights.